








*VILENE, INTERLINING,
TAILOR'S HAMS and more...*



INFOSHEET VISCOSE WOVEN FUSIBLE (extra wide)






















Width	150 cm
Color	offwhite
Composition	83% viscose 17% polyester in plain weave
Weight	approximately 100 gram per m ²
Coating	17 mesh copolyamide double point
Application	for reinforcing of the surface and the construction of apparel and light menswear
Description	soft high volume raschel front fusible with stabilising character (only for teflon coated fabrics is the fusing temperature 160°C)
Treatment	   fusing temperature 124-134°C pressure dial setting 250-350 gram per cm ² 14 seconds  

ORDER THIS INTERLINING IN OUR SHOP:

WWW.BEAUTYVOF.NL

All of our interlinings are produced in the Netherlands with partially recycled cotton fibres and 50% Green Dutch Wind Energy The supplier adheres to government environmental guidelines which include waste, soil protection, noise pollution and the cutting down on energy consumption.

Legend

	Wash up to 30 degrees		Iron without moisture
	Wash up to 40 degrees		Iron slowly with a sliding motion
	Wash up to 60 degrees		Ironing time
	Wash up to 95 degrees		Do not bleach
	Iron setting: Nylon / 1 dot		Can withstand cleaning with perchlooretheen, white spirit, R11 en R113
	Iron setting: Wool / 2 dots		Step by step ironing with pressure
	Iron setting: Cotton / 3 dots		Step by step ironing with low pressure
	Iron with pressure		Use steam when ironing
	Iron with low pressure		Sewable
	Iron with moisture	 	Do not wash Do not use tumbledryer